

Pipe Size (inches)	Outside Diameter (inches)	Identification			Wall Thickness - <i>t</i> - (inches)	Inside Diameter - <i>d</i> - (inches)
		Steel		Stainless Steel Schedule No.		
		Iron Pipe Size	<u>Schedule No.</u>			
1/8	0.405	.	.	10S	.049	.307
		STD	40	40S	.068	.269
		XS	80	80S	.095	.215
1/4	0.540	.	.	10S	.065	.410
		STD	40	40S	.088	.364
		XS	80	80S	.119	.302
3/8	0.675	.	.	10S	.065	.545
		STD	40	40S	.091	.493
		XS	80	80S	.126	.423
1/2	0.840	.	.	5S	.065	.710
		.	.	10S	.083	.674
		STD	40	40S	.109	.622
		XS	80	80S	.147	.546
		XXS	160	.	.187	.466
3/4	1.050	.	.	5S	.065	.920
		.	.	10S	.083	.884
		STD	40	40S	.113	.824
		XS	80	80S	.154	.742
		XXS	160	.	.219	.612
1	1.315	.	.	5S	.065	1.185
		.	.	10S	.109	1.097
		STD	40	40S	.133	1.049
		XS	80	80S	.179	.957
		XXS	160	.	.250	.815
1 1/4	1.660	.	.	5S	.065	1.530
		.	.	10S	.109	1.442
		STD	40	40S	.140	1.380
		XS	80	80S	.191	1.278
		XXS	160	.	.250	1.160
1 1/2	1.900	.	.	5S	.065	1.770
		.	.	10S	.109	1.682
		STD	40	40S	.145	1.610
		XS	80	80S	.200	1.500
		XXS	160	.	.281	1.338
2	2.375	.	.	5S	.065	2.245
		.	.	10S	.109	2.157
		STD	40	40S	.154	2.067
		XS	80	80S	.218	1.939
		XXS	160	.	.344	1.687
	436	1.503

2 1/2	2.875	.	.	5S	.083	2.709
		.	.	10S	.120	2.635
		STD	40	40S	.203	2.469
		XS	80	80S	.276	2.323
		.	160	.	.375	2.125
		XXS	.	.	.552	1.771
3	3.500	.	.	5S	.083	3.334
		.	.	10S	.120	3.260
		STD	40	40S	.216	3.068
		XS	80	80S	.300	2.900
		.	160	.	.438	2.624
		XXS	.	.	.600	2.300
3 1/2	4.000	.	.	5S	.083	3.834
		STD	40	10S	.120	3.760
		XS	80	40S	.226	3.548
				80S	.318	3.364
4	4.500	.	.	5S	.083	4.334
		.	.	10S	.120	4.260
		STD	40	40S	.237	4.026
		XS	80	80S	.337	3.826
		.	120	.	.438	3.624
		XXS	160	.	.531	3.438
	.	.	.674	3.152		
5	5.563	.	.	5S	.109	5.345
		.	.	10S	.134	5.295
		STD	40	40S	.258	5.047
		XS	80	80S	.375	4.813
		.	120	.	.500	4.563
		XXS	160	.	.625	4.313
	.	.	.750	4.063		
6	6.625	.	.	5S	.109	6.407
		.	.	10S	.134	6.357
		STD	40	40S	.280	6.065
		XS	80	80S	.432	5.761
		.	120	.	.562	5.501
		XXS	160	.	.718	5.187
	.	.	.864	4.897		
8	8.625	.	.	5S	.109	8.407
		.	.	10S	.148	8.329
		.	20	.	.250	8.125
		.	30	.	.277	8.071
		STD	40	40S	.322	7.981
		.	60	.	.406	7.813
		XS	80	80S	.500	7.625
		.	100	.	.594	7.437
		.	120	.	.719	7.187
		.	140	.	.812	7.001
		XXS	.	.	.875	6.875
		.	160	.	.906	6.813
10	10.750	.	.	5S	.134	10.482
		.	.	10S	.165	10.420
		.	20	.	.250	10.250
		.	30	.	.307	10.136
		STD	40	40S	.365	10.020
		XS	60	80S	.500	9.750
		.	80	.	.594	9.562
		.				

		.	100	.	.719	9.312
		.	120	.	.844	9.062
		.	140	.	1.000	8.750
		.	160	.	1.125	8.500
12	12.75	.	.	5S	.156	12.438
		.	.	10S	.180	12.390
		.	20	.	.250	12.250
		.	30	.	.330	12.090
		STD	.	40S	.375	12.000
		.	40	.	.406	11.938
		XS	.	80S	.500	11.750
		.	60	.	.562	11.626
		.	80	.	.688	11.374
		.	100	.	.844	11.062
		.	120	.	1.000	10.750
		.	140	.	1.125	10.500
.	160	.	1.312	10.126		
14	14.00	.	.	5S	156	13.688
		.	.	10S	.188	13.624
		.	10	.	.250	13.500
		.	20	.	.312	13.376
		STD	30	.	.375	13.250
		.	40	.	.438	13.124
		XS	.	.	.500	13.000
		.	60	.	.594	12.812
		.	80	.	.750	12.500
		.	100	.	.938	12.124
		.	120	.	1.094	11.812
		.	140	.	1.250	11.500
..	160	.	1.406	11.188		
16	16.00	.	.	5S	.165	15.670
		.	.	10S	.188	15.624
		.	10	.	.250	15.500
		.	20	.	.312	15.376
		STD	30	.	.375	15.250
		XS	40	.	.500	15.000
		.	60	.	.656	14.688
		.	80	.	.844	14.312
		.	100	.	1.031	13.938
		.	120	.	1.219	13.562
		.	140	.	1.438	13.124
		.	160	.	1.594	12.812
18	18.00	.	.	5S	.165	17.670
		.	.	10S	.188	17.624
		.	10	.	.250	17.500
		.	20	.	.312	17.376
		STD	.	.	.375	17.250
		.	30	.	.438	17.124
		XS	.	.	.500	17.000
		.	40	.	.562	16.876
		.	60	.	.750	16.500
		.	80	.	.938	16.124
		.	100	.	1.156	15.688
		.	120	.	1.375	15.250
.	140	.	1.562	14.876		
.	160	.	1.781	14.438		
20	20.00	.	.	5S	.188	19.624
		.	.	10S	.218	19.564
		.	10	.	.250	19.500

		STD	20	.	.375	19.250
		XS	30	.	.500	19.000
		.	40	.	.594	18.812
		.	60	.	.812	18.376
		.	80	.	1.031	17.938
		.	100	.	1.281	17.438
		.	120	.	1.500	17.000
		.	140	.	1.750	16.500
		.	160	.	1.969	16.062
		.	.	5S	.188	21.624
		.	.	10S	.218	21.564
		.	10	.	.250	21.500
		STD	20	.	.375	21.250
		XS	30	.	.500	21.000
		.	60	.	.875	20.250
		.	80	.	1.125	19.75
		.	100	.	1.375	19.25
		.	120	.	1.625	18.75
		.	140	.	1.875	18.25
		.	160	.	2.125	17.75
		.	.	5S	.218	23.564
		.	10	10S	.250	23.500
		STD	20	.	.375	23.250
		XS	.	.	.500	23.000
		.	30	.	.562	22.876
		.	40	.	.688	22.624
		.	60	.	.969	22.062
		.	80	.	1.219	21.562
		.	100	.	1.531	20.938
		.	120	.	1.812	20.376
		.	140	.	2.062	19.876
		.	160	.	2.344	19.312
		.	10	.	.312	25.376
		STD	.	.	.375	25.250
		XS	20	.	.500	25.000
		.	10	.	.312	27.376
		STD	.	.	.375	27.250
		XS	20	.	.500	27.000
		.	30	.	.625	26.750
		.	.	5S	.250	29.500
		.	10	10S	.312	29.376
		STD	.	.	.375	29.250
		XS	20	.	.500	29.000
		.	30	.	.625	28.750
		.	10	.	.312	31.376
		STD	.	.	.375	31.250
		XS	20	.	.500	31.000
		.	30	.	.625	30.750
		.	40	.	.688	30.624
		.	10	.	.344	33.312
		STD	.	.	.375	33.250
		XS	20	.	.500	33.000
		.	30	.	.625	32.750
		.	40	.	.688	32.624

36	36.00	.	10	.	.312	35.376
		STD	.	.	.375	35.250
		XS	20	.	.500	35.000
		.	30	.	.625	34.750
		.	40	.	.750	34.500
42	42.00	STD	.	.	.375	41.250
		XS	20	.	.500	41.000
		.	30	.	.625	40.720
		.	40	.	.750	40.500